whitespace work software

HARDWARE & SERVICES CATALOGUE

Summary

Hardware & Services provided by Whitespace Work Software Ltd.

Address

White Lodge Farm, Goose Rye Road,

GU3 3RJ, Worplesdon, Surrey, UK

Contact

01483 231 650

info@whitespacews.com

TABLE OF CONTENTS

This catalogue is designed to give you an overview of the hardware and related services offered by Whitespace Work Software.

Please note that we are only able to include a sample of all the products that we offer. In case you can't find the product that you're looking for, please contact us with your requirements and we will check if we or one of our trusted partners can help you.

Table of Contents:

TOMTOM DEVICES AND TERMINALS

TOMTOM PRO 5350

Bringing flexibility and power to your workforce
- All-in-one device
- Combines navigation and fleet management
- Easily exchangeable from vehicle to vehicle
- Portable (not fixed) tracking device installed in the vehicle
- Privacy controls allow drivers to switch off vehicle tracking when off duty

TOMTOM PRO 8275

Tailor your driver's device for your business
- 7" screen and ruggedised driver terminal
- Fully customisable with platform control
- Built-in camera with flash
- Easy serviceability with remote device management via WiFi
- Near field communication (RFID) and 3G modem included

TOMTOM PRO 2020

Connect your drivers to the office more effectively for closer collaboration.
- Extend to all of your fleet with this compact but powerful device
- RFID Driver Identification (with buzzer)
- Log working time of any employee: clock in and out
- Log trips as business/private/commute status
- Continuous OptiDrive 360 driving style feedback

TOMTOM LINK 510

The vehicle tracking device with advanced vehicle integration possibilities
- Fixed installed for reliable tracking of any truck or coach
- Monitors driving behaviour
- Advanced vehicle integration possibilities
    - Digital tachograph connectivity
    - FMS interface
- Add-on functionality easily available
- Works in combination with WEBFLEET

TOMTOM CHARGE LEADS & ACCESSORIES

TOMTOM 5350 FIXED CRADLE

FIXED MOUNT FOR PRO 7350

TOMTOM STANDARD CRADLE (REPLACEMENT)

CAR CHARGER BRIDGE

TOMTOM CHARGING CABLE BRIDGE

RAM BRIDGE WINDSCREEN MOUNT

BATTERIES FOR PRO 8275

whitespace work software

APPLE IPHONE SERIES

APPLE IPAD SERIES

We offer a range of Apple iPhones and iPads that you can use for your business purposes. Please contact us with your enquiry and we will provide you with more information.

SAMSUNG GALAXY PHONES

SAMSUNG GALAXY TABS

We offer a range of Samsung Galaxy smartphones and tablets that you can use for your business purposes. Please contact us with your enquiry and we will provide you with more information.

whitespace work software

TAB-TITE™ HOLDER FOR 7" TABLETS WITH THICK SKINS, SLEEVES OR CASES

• Support cups contain open slots to accommodate for tablets of various sizes
• Back plate can support various size support cups
• Spring loaded tension provides secure support for your tablet
• Spring loaded holder allows for quick release of your tablet

TAB-LOCK™ HOLDER FOR 7" TABLETS WITH THICK SKINS, SLEEVES OR CASES

• Support cups contain open slots to accommodate for tablets of varying sizes
• Spring loaded for ease of removal and insertion of your tablet
• Full access to all ports
• Customize height of holder for your tablet

THE RAM® VEHICLE DOCK WITH GDS™ TECHNOLOGY

The RAM® vehicle dock with GDS™ Technology is a spring loaded, quick release holder that offers a secure fit with easy access to the mounted tablet. This docking station is compatible with the Apple Ipad Mini 2/3 with IntelliSkin™.

The integrated GDS™ Technology platform enables data and charging capabilities to the mounted tablet. Without the need to remove the IntelliSkin from the device, the user can quickly and efficiently mount the device in the vehicle dock and keep the device charged.

UNIVERSAL X-GRIP® HOLDER FOR 12" TABLETS

The new RAM X-Grip® line of products just got bigger and better. This new model is just what you've been looking for to hold your favorite tablet. Just like the devices it was made for, it is everything you need and nothing you don't.

Simple to open and close, the spring loaded RAM X-Grip® leaves the outside edge of your tablet almost completely free of annoying obstructions. Soft rubber fingers apply just enough force to keep your tablet in safe and secure.

INTELLISKIN™ WITH GDS™ TECHNOLOGY

The IntelliSkin™ is a protective sleeve featuring GDS™ Technology.

• Offers drop protection and shelters your device from scratches and debris
• Prevents damage due to repetitive plugging and unplugging
• Compatible with all GDS™ docking stations
• Handstand and shoulder strap compatible

INTELLISKIN™ WITH GDS™ TECHNOLOGY

The IntelliSkin™ is a protective sleeve featuring GDS™ Technology.

• Offers drop protection and shelters your device from scratches and debris
• Prevents damage due to repetitive plugging and unplugging
• Compatible with all GDS™ docking stations
• Handstand and shoulder strap compatible

INTELLISKIN™ WITH GDS™ TECHNOLOGY

The IntelliSkin™ is a protective sleeve featuring GDS™ Technology.

• Offers drop protection and shelters your device from scratches and debris
• Prevents damage due to repetitive plugging and unplugging
• Compatible with all GDS™ docking stations
• Handstand and shoulder strap compatible

GRIFFIN SURVIVOR

Designed and built to meet or exceed US Department of Defense Standard 810G, Griffin's Survivor extreme-duty case is built from the inside out to protect your Galaxy Tab from extreme conditions ... dust, sand, rain, shock, vibration and a host of other environmental factors. Survivor is built on a shatter-resistant polycarbonate frame clad in rugged, shock-absorbing silicone. A built-in screen protector seals your touchscreen from the outside environment.

OTTERBOX

Defender Series covers your entire iPad with three layers of rugged protection. And, it includes a shield stand for added screen protection and hands-free iPad use everywhere.

VEHICLE DOCK WITH GDS™ TECHNOLOGY

The vehicle dock with GDS™ Technology is a spring loaded, quick release holder that offers a secure fit with easy access to the mounted tablet.

Features:

• GDS™ Technology offers a universal charging platform for any device wrapped in IntelliSkin™

• Modular design makes upgrading to a new tablet simple and cost effective

• Dual-spring loaded tension provides secure support for your tablet

• Easy, quick release of your tablet for on-the-go applications

• Versatility of holder allows for attachment to many RAM mounting solutions

• Made in U.S.A.

VEHICLE DOCK WITH GDS™ TECHNOLOGY

The vehicle dock with GDS™ Technology is a spring loaded, quick release holder that offers a secure fit with easy access to the mounted tablet.

Features:

• GDS™ Technology offers a universal charging platform for any device wrapped in IntelliSkin™

• Modular design makes upgrading to a new tablet simple and cost effective

• Dual-spring loaded tension provides secure support for your tablet

• Easy, quick release of your tablet for on-the-go applications

• Versatility of holder allows for attachment to many RAM mounting solutions

• Made in U.S.A.

PANAVISE SUCTION MOUNTS PV-809 RANGE

Features:

Powerful suction pad attaches to any smooth, flat, nonporous surface including windshield and windows

Easily move electronics from vehicle-to-vehicle or remove for security

Full range of motion under the electronics: 210° Tilt, 360° Turn & 360° Rotation

Ratcheted arm has 140° vertical motion; knob locks arm into place
Suction pad is 86.4mm (3.4") in diameter
Overall length is approximately 114.3mm (4.5")
Recommended for electronics weighing up to 1.4kg.

Product codes:

PV-809-AMP - Standard AMPS Window mount
PV-809-G - Window Garmin mount
PV-809 - CCTV Camera Window mount
PV-809-TS - T-Bolt Window Mount

HOLDER WITH LOCK FOR TOMTOM BRIDGE AND TOMTOM PRO8275

With tilt swivel. 2 keys included. Fits both TomTom Bridge Video dock and Car dock.

This holder is to be used when you want to secure your device and still have it easy accessible.

The holder is made of extra strong plastic and is equipped with a lock. In order to remove the device from the holder you need the key, two keys are included.

Fits with both TomTom Bridge Video dock and TomTom Bridge Car dock (not included).

Compatible with:

TomTom Bridge (For all countries)
TomTom Bridge Pro 8275 (For all countries)

Docking station not included!

DOUBLE 1.5" BALL SHORT SOCKET ARM

The RAM-201-B, short double socket arm, has a socket at both ends that accommodates 1.5" ball bases. Loosening the knob opens the end sockets, allowing you to pivot the ball and socket connection. This socket technology allows for almost infinite adjustment and perfect viewing angles.

Dimensions:

Overall Length: 3.5"
Socket-To-Socket Length: 2.25"
Material: Powder Coated Marine Grade, Aluminium
Ball Size: 1.5" Rubber Ball

DOUBLE SOCKET ARM FOR 1" BALL

The RAM-B-201, standard double socket arm, has a socket at both ends that accommodates 1" ball bases. A single spring inside the arm opens the end sockets, allowing you to pivot the ball and socket connection. This socket technology allows for almost infinite adjustment and perfect viewing angles.

Dimensions:

Overall Length: 3.69"
Socket-To-Socket Length: 3"
Material: Powder Coated Marine Grade, Aluminium
Ball Size: 1" Rubber Ball "B" Size

LONG DOUBLE SOCKET ARM FOR 1" BALL

The RAM-B-201-C, long double socket arm, has a socket at both ends that accommodates 1" ball bases. A single spring inside the arm opens the end sockets, allowing you to pivot the ball and socket connection. This socket technology allows for almost infinite adjustment and perfect viewing angles.

Dimensions:

Overall Length: 6"
Socket-To-Socket Length: 5.1875"
Material: Powder Coated Marine Grade, Aluminium
Ball Size: 1" Rubber Ball "B" Size

HEAVY DUTY SUCTION CUP BASE WITH 1" BALL

The RAM-B-224-1 consists of a 3.25" suction cup base with (RAM-B-238) diamond adapter and 1" rubber ball. It is compatible with all 1" "B" size double socket arms. The suction cup is designed to have an extra strong hold on any smooth non-porous surface, but for best result, mount the suction cup on a glass or non-porous plastic surface. Suitable for 7-10" tablets in low vibration environments - for high vibration applications please see RAMB-189B.

2" X 1.7" ADAPTER / BASE WITH 1" BALL AND AMPS PATTERN

The RAM-B-347 powder coated marine grade aluminium base consists of a 1" diameter rubber ball connected at right angles to a 2" x 1.7" square base.
The base has four pre-drilled holes at each corner, making the universal AMPs hole pattern.

DOUBLE 1" BALL ADAPTER

The RAM-B-230, double ball joiner, consists of a 1" rubber ball on both ends that allow the connection of two 1" socket arms. When measured from ball center to ball center the arm length is 1.75". This part is ideal if your mount arm is just too short for the application or if you need an extra joint to achieve a right angle.

DIAMOND

The RAM-B-238CH chrome plated aluminium plate has a 1.0" diameter rubber ball connected at right angles to a 1 1/4" x 2 1/2" diamond base. The plate has two pre-drilled holes positioned at either tip of the diamond plate. This part can be used as a mounting plate or to attach to any of the RAM plastic HOL holders with the industry standard AMPS hole pattern.

ROUND

The RAM-D-202-SYM1 consists of a 2.25" diameter rubber ball, connected at right angles to a 3.68" diameter round base. There are 6 pre-drilled holes in the base.

TWIST LOCK SUCTION MOUNT WITH ROUND PLATE (AMPS HOLE PATTERN)

The RAM twist lock suction cup mount consists of a 3.25" suction cup locking base with a 1" ball attached, a double socket arm and a round plate with drilled hoes including the universal AMPS hole pattern. RAM's patented design dampens shock and vibration helping to extend the life of mobile electronic devices while the rubber ball and socket technology allows for almost infinite adjustment.

Material: Powder Coated Marine Grade Aluminium and high strength composites
Ball Size: 1" Rubber Ball "B" Size

TWIST LOCK SUCTION MOUNT WITH AMPS BASE

A twist lock suction mount for the Garmin Aera or the TomTom Rider 2 motorcycle Sat Nav unit. Also any other units that can use an AMPS base plate.

Ball Size: 1" Rubber "B" Ball Size
Colour: Black
Material: Powder Coated Marine Grade Aluminium and High Strength Composite

TWIST LOCK SUCTION MOUNT W/ 1" BALL ARM AND DIAMOND ADAPTER

The RAM-B-166, twist lock suction cup mount consists of a 3.25" suction cup locking base and diamond plate end. The mount is designed with a RAM 1" diameter patented rubber ball and socket system that has an adjustment point at the holder and base. Simply attach the suction cup base to the windshield of your vehicle for an easy and safe way to view your handheld device in your vehicle. Rubber ball and socket technology allows for almost infinite adjustment and perfect viewing angles.

Ball Size: 1" Rubber Ball "B" Size
Material: Powder Coated Marine Grade Aluminium and High Strength Composite

SIM AND SD CARDS

O2 SIM CARD
STANDARD OR DATA ONLY
BOTH 3G / 4G

VODAFONE SIM CARD
STANDARD OR DATA ONLY
BOTH 3G / 4G

EE SIM CARD
STANDARD OR DATA ONLY
BOTH 3G / 4G

MICRO SD CARDS COMPATIBLE WITH TOMTOM PRO8275 / TOMTOM BRIDGE AND MORE

whitespace work software

WEBFLEET

WEBFLEET is an award winning fleet management solution that provides real-time information about the location of your vehicles, lets you communicate directly with your drivers, helps to improve driving behaviour, save on fuel and connects to a whole ecosystem of 3rd party solutions.

MASTERNAUT

Masternaut Connect is the 4th-generation fleet management SaaS application on desktop and smartphone. It turns thousands of data points per second into insights for operations and fleet managers as well as HR professionals.

TRAINING

We provide indepth training for TomTom Webfleet or Masternaut Connect Telematics systems.

TRACKING INSTALLATION

Installation of Tracking equipment dependant on vehicle make, model

DEVICE INSTALLATION

Installation of Navigation/Mobile devices – both hard-wired or temporary installations.

DE-INSTALLS & RE-INSTALLS

If you need to remove, upgrade or simply replace hardware, we can remove it and/or reinstall into new vehicles keeping your fleet up to date.

REPAIRS

Ongoing repairs both remote and on-site

whitespace work software

SERVICES

ADDITIONAL SERVICES

Some vehicles may allow additional services such as vehicle idling and PTO connection to be linked with the Telematics system. PTO connections could be brushes on sweepers, trailer connections and other additional options.

FLEET MANAGEMENT

FMS connections may be possible based on vehicle make and model. By having these connected to a telematics system you can use fuel and mileage information to save money and increase fuel economy and efficiency.

TACHOGRAPH

If your vehicle has a Tachograph unit built in we are can connect it to a telematics system to gain access to digital downloads and driver feedback.

SUPPORT GUIDES

We will provide a generic guide but should you want a custom User, Support guide on how to update, use and setup your mobile devices we can make these for you to distribute to your staff.

ANALYTICS

Our Flexible Business Intelligence solution allows you to search, consolidate and analyse your waste and environmental data.

CONSULTANCY

Fleet Consultancy to help you boost your fleet management efficiency

DATA TRAINING

Data Template Training

whitespace
work software